DECKING DECKING

GRADED CLEAR ALL HEART

No knots that can check or fall out

TREMENDOUS STRENGTH

1x5 can span up to 15" Q.C. even at a diagonal

KILN DRIED

Reduces shrinking, splitting, and checking

CODE APPROVED

ICC Code listing number stamped on every board

PROVEN TRACK RECORD

Ipe has been distributed in the United States for over 50 years

LONGEVITY

25 year warranty available

SANDED FACE

Smooth to the touch

MATCHING SCREWS

Stainless Steel Brown Woodpecker Trimhead Screw












Decking is sold in random lengths. If we can accommodate your specified length requirements we will, but it is not always possible.



PRODUCT

| FRODUCE | QUANTATIES |
|--------------------------------|---------------|
| 1x4 S4S | Special Order |
| 1x6 S4S | 8'-20' R/L |
| 5/4x6 S4S | 8'-20' R/L |
| 5/4x8 S4S | 8'-20' R/L |
| 2x4 S4S | 8'-20' R/L |
| 2x2 S4S | R/L |
| 4x4 S4S | 8'-20' R/L |
| 2x6 Rail Cap | 8'-20' R/L |
| 2x6 S4S | 8'-20' R/L |
| 1x4 Sub Rail | 8'-20' R/L |
| 2 ¼" Brown Woodpecker Screw | 350 pcs |
| 2 1/4" Woodpecker Screw | 350 pcs |
| 1 %" Woodpecker Screw | 350 pcs |
| BoWrench | 1 tool |
| Anchor Seal | 1 Quart |
| | |





1-800-862-6003 FAX 651-439-5446